New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2005 New Brunswick Residents

		Adu	Adult/Adolescent *		Pediatric *			Total				
1.	1. Current HIV/AIDS Category		ases			Cases	ર્જ 			ases	왕 	
	AIDS-Any OI AIDS-CD4 Only HIV Only		# # 177	# # 42		# # 5	# # 83			76 172 182	18 40 42	
	Total	=	424			6				430	100	
2.	Current Age * Cases %	3.		Eth.		Adult/ Cases	%		%		%	
	<pre><5 0 0 5-12 6 1 13-19 5 1 20-29 33 8 30-39 100 23 40-49 185 43 50+ 101 23 Unk. 0 0</pre>		White Black Hispa Other	e, Not Hisp nic /Unknown	anic anic	62 # # 5	15 # # 1	0 # # 0	0 # # 0	62 235	14 55 30 1	
	Total 430 100											
4.	Patient Group			Males	ક		Female	s %	_	Tota	il	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact*** Risk not reported/other***	*		67	32 34 5		52 0 106	0 32 0 65 #		13 1 17	31 39 .3 73	19 33 3 41 3
	Total			257	100		162	100		41	.9	100
				Males	Pe	diatric	Modifi Female	_		_		%

NOTE: Includes only those persons known to be infected with HIV.

Parent at risk/has AIDS/HIV Risk not reported/other***

Total

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of December 2005.
- ** 5 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

#

#

10 91 # #

**** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 New Brunswick Residents

	Adult/Adolescent*	Pediatric*	Total		
1. Disease Category	Cases (%) Deaths (%)	Cases (%) Deaths (%)	Cases (%) Deaths (%)		
PCP Other OI w/o PCP KS Alone No Disease Listed	171 (26) 147 (86) 190 (29) 150 (79) # (#) # (#) # (#)	7 (39) 6 (86) 10 (56) 8 (89) # (#) 0 (.) # (#) 0 (0)	178 (26) 153 (86) 200 (30) 158 (80) 9 (1) 6 (75) 290 (43) 112 (42)		
Total	659 (100) 415 (65)	18 (100) 14 (82)	677 (100) 429 (66)		
2. Age * Cases	% 3. Race/Eth.	Adult/Adl* Pediatric* Cases % Cases %	Total Cases %		
Under 5 16	2 White, Not Hispanic	# # # #	108 16		

						Adult/Adi"		Pediatric"		IOLAI	
2.	Age *	Cases	왕	3.	Race/Eth.	Cases	용	Cases	%	Cases	ક
	Under 5	16	2		White, Not Hispanic	#	#	#	#	108	16
	5-12	#	#		Black, Not Hispanic	423	64	14	78	437	65
	13-19	#	#		Hispanic	#	#	#	#	128	19
	20-29	89	13		Other/Unknown	#	#	0	0	#	#
	30-39	309	46								
	40-49	198	29		Total	659	100	18	100	677	100
	Over 49	61	9								
	Unknown	0	0								
	Total	677	100								

Patient Group	Adult/Adolescent Modified Exposure Categories *;								
	Males	%	Females %	Total	%				
Men sex with men (MSM)	113	26	0 0	113	17				
Injection drug user (IDU)	219	50	92 42	311	47				
MSM/IDU	27	6	0 0	27	4				
Heterosexual contact***	75	17	119 55	194	29				
Risk not reported/other***	6	1	7 3	13	2				
Total	440	100	218 100	658	100				

	Males	Ped %	iatric Modified Females	-	Categories Total	%
Parent at risk/has AIDS/HIV Risk not reported/other****	11 #	92 #	7 0	100	18 #	95 #
Total	12	100	 7	100	19	100

- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of AIDS diagnosis.
- ** 1 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 New Brunswick Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Dafa 1005	1.4	1.4	100%
Before 1985	14	14	100%
1985	10	9	90%
1986	19	19	100%
1987	16	16	100%
1988	26	24	92%
1989	41	40	98%
1990	24	22	92%
1991	39	35	90%
1992	60	56	93%
1993	75	61	81%
1994	49	32	65%
1995	53	29	55%
1996	49	18	37%
1997	36	22	61%
1998	28	8	29%
1999	23	9	39%
2000	25	#	#
2001	27	5	19%
2002	25	#	#
2003	14	#	#
2004	17	#	#
2005	7	0	0%
Total	677	429	63%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005 New Brunswick Residents

					Adult/Adl*		Pediatric*		Total	
1.	Age *	Cases	%	2. Race/Ethnicity	Cases	%	Cases	%	Cases	%
	Under 5	6	3	White, Not Hispanic	27	14	0	0	27	14
	5-12	0	0	Black, Not Hispanic	101	52	5	83	106	54
	13-19	6	3	Hispanic	#	#	#	#	63	32
	20-29	50	25	Other/Unknown	#	#	#	#	#	#
	30-39	85	43							
	40-49	37	19	Total	193	100	6	100	199	100
	Over 49	15	8							
	Unknown	0	0							
	Total	100	100							
	IOLAI	199	100							

3.	Patient Group	Adult/Adolescent Modified Exposure Categorie								
	-	Males	%	Females %	Total	%				
	Man and with man (MGM)	 41			41 2	21				
	Men sex with men (MSM)		36	0 0						
	Injection drug user (IDU)	30	26	31 40	61 3	32				
	MSM/IDU	#	#	0 0	#	#				
	Heterosexual contact***	31	27	45 58	76 3	39				
	Risk not reported/other***	#	#	# #	#	#				
	Total	115	100	78 100	193 10	00				
			Pedi	iatric Modified Expos	ure Categories					
		Males	8	Females %	Total %	5				
	Parent at risk/has AIDS/HIV	#	#	# #	6 10	0				
	Risk not reported/other****	0	0	0 0	0	0				

Classification at time of first HIV+ test.

Total

- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** O patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

6 100

**** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 New Brunswick Residents

		Adult/Ad	Adult/Adolescent *		Pediatric *			Total		
1. Current H	IIV/AIDS Ca	tegory	Cases	%	Case	es	%	Cases	%	
-	AIDS-Any OI AIDS-CD4 Only HIV Only		396 # #	# #		18 # #		414 263 199	47 30 23	
Total			851	100		25	100	876	100	
2. Age *	Cases	%	3. Race/Eth	1.	Adult/ <i>I</i> Cases	Adl* %	Pediat Cases	ric* %	To Cases	otal %
Under 5	23	3	White, N	Not Hispanic	#	#	#	#	135	15
5-12	#	#	Black, N	Not Hispanic	524	62	19	76	543	62
13-19	10	1	Hispanio		#	#	#	#	191	22
20-29	175	20	Other/Ur	nknown	7	1	0	0	7	1
30-39	397	45								
40-49	198	23	Total		851	100	25	100	876	100
Over 49	71	8								
Unknown	#	#								

4.	Patient	Group		Adult	/Adolescen	t Modified	Exposure	Categories	* *
			70.7	r - 7:	0	n 1	0	m - + - 1	0

	Males	%	Females	%	Total	%	
Men sex with men (MSM)	154	28	0	0	154	18	
Injection drug user (IDU)	249	45	123	42	372	44	
MSM/IDU	30	5	0	0	30	4	
Heterosexual contact***	106	19	164	55	270	32	
Risk not reported/other***	16	3	9	3	25	3	
Total	555	100	296	100	851	100	

		Pediatric	Modified	Exposure	Categories	
Male	S	%	Females	8	Total	%
Parent at risk/has AIDS/HIV	16	94	8	100	24	96
Risk not reported/other***	#	#	0	0	#	#
Total	17	100	8	100	25	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.

876 100

Total

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- $\mbox{\tt ****}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 New Brunswick Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	15	14	93%
1985	14	13	93%
1986	24	21	88%
1987	28	24	86%
1988	34	33	97%
1989	59	50	85%
1990	43	36	84%
1991	53	44	83%
1992	94	55	59%
1993	67	45	67%
1994	68	30	44%
1995	51	21	41%
1996	45	14	31%
1997	51	18	35%
1998	41	9	22%
1999	33	7	21%
2000	34	5	15%
2001	34	#	#
2002	30	#	#
2003	21	#	#
2004	19	0	0%
2005	18	0	0%
Total	876	446	51%